

Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TSE 399C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: For industrial use only.

1.3 Details of the supplier of the safety data sheet

, ,

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H319: Causes serious eye irritation.

Precautionary Statements

Prevention: P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Supplemental label information

EUH208: Contains (gamma-Aminopropyltriethoxysilane, Dibutyltin

SDS_GB 1/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Dilaurate). May produce an allergic reaction.

Unknown toxicity - Health

0 % Acute toxicity, oral 0 % Acute toxicity, dermal Acute toxicity, inhalation, vapor 0 % Acute toxicity, inhalation, dust 0 %

or mist

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Mixture of polydimethylsiloxanes, fillers and cross-linkers.

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
CYCLOPENT YLSILAZANE- AMINOSILOX ANE COPOLYMER , METHOXY TERMINATED	1 - <3%	134759-20-9	638-885-6	Polymer	No data available.	
gamma- Aminopropyltri ethoxysilane	0,1 - <1%	919-30-2	213-048-4	01- 2119480479- 24-XXXX	No data available.	
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-0001	No data available.	vPvB
Dibutyltin Dilaurate	0,1 - <0,25%	77-58-7	201-039-8	01- 2119496068- 27-XXXX	1	#

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by

Classification

Chemical name	Classification	Notes
CYCLOPENTYLSILAZAN	Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
E-AMINOSILOXANE		
COPOLYMER, METHOXY		
TERMINATED		
gamma-	Skin Sens.: 1: H317; Acute Tox.: 4: H302; Skin Corr.: 1B:	No data
Aminopropyltriethoxysilane	H314; Eye Dam.: 1: H318;	available.
Dodecamethylcyclohexasil	No data available.	
oxane		

SDS_GB 2/17

^{##} This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Dibutyltin Dilaurate

Eye Dam.: 1: H318; Skin Sens.: 1: H317; Muta.: 2: H341; Skin Corr.: 1C: H314; Repr.: 1B: H360FD; STOT SE: 1: H370; STOT RE: 1: H372; Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400;

No data available.

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

Eye contact: Rinse the eye with water immediately. If eye irritation persists: Get medical

advice/attention.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap

and water.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth.

Consult a physician for specific advice.

4.2 Most important symptoms

and effects, both acute and

delayed:

Product may hydrolyse upon contact with body fluids in the gastrointestinal

tract to produce additional methanol; therefore, consider the

signs/symptoms of methanol poisoning and also observe the known latency

period of several days!

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed,

rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis,

dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle

damage) should be recognized.

SECTION 5: Firefighting measures

General Fire Hazards: Prevent runoff from fire control or dilution from entering streams, sewers, or

drinking water supply.

5.1 Extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or

mixture:

In case of fire, carbon monoxide and carbon dioxide may be formed.

5.3 Advice for firefighters

SDS_GB 3/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Special fire fighting procedures:

Product may charge electrostatically during pouring or filling. Take

precautionary measures against static discharges. Keep away from sources

of ignition - No smoking.

Special protective equipment for fire-fighters:

Use standard firefighting procedures and consider the hazards of other

involved materials. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Use personal protective equipment. Keep

container tightly closed and in a well-ventilated place. Caution:

Contaminated surfaces may be slippery.

6.2 Environmental Precautions: Prevent runoff from entering drains, sewers, or streams.

6.3 Methods and material for containment and cleaning up:

Use mechanical handling equipment. Shovel up and place in a container for

salvage or disposal.

6.4 Reference to other

sections:

Remove sources of ignition.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Methanol is formed during processing. Wear appropriate personal

protective equipment.

Storage conditions: Keep away from sources of ignition - No smoking. Store in original

container.

7.2 Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place.

Storage Stability: Material is stable under normal conditions.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

ocupational Exposure Elimits				
Chemical name	Туре	Exposure Limit Values	Source	
Silica - Inhalable dust.	TWA	6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)	
Silica - Respirable dust.	TWA	2,4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)	
Dibutyltin Dilaurate - as Sn	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)	
	STEL	0,2 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)	

Biological Limit Values

None.

DNEL-Values

Critical component	Туре	Route of Exposure		Remarks
Dibutyltin Dilaurate	Workers	Dermal	1 mg/kg bw/day	

SDS_GB 4/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

	Inhalation	0,07 mg/m3	
	Dermal	0,2 mg/kg bw/day	
	Inhalation	0,01 mg/m3	
Consumers	Dermal	0,5 mg/kg bw/day	
	Inhalation	0,02 mg/m3	
	Ingestion	0,01 mg/kg bw/day	
	Dermal	0,08 mg/kg bw/day	
	Inhalation	0,003 mg/m3	
	Ingestion	0,002 mg/kg bw/day	

PNEC-Values

Critical component	Environmental compartment		Remarks
Dibutyltin Dilaurate	Water	0,463 μg/l	
-	Seawater	0,0463 µg/l	
	Intermittent release	4,63 µg/l	
	freshwater sediment	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	Saltwater Sediment	0,005 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	soil	0,0407 mg/kg	
	Sewage treatment plant	100 mg/l	
	Oral	0,2 mg/kg	

8.2 Exposure controls

Appropriate Engineering

Controls:

Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: Wear suitable gloves and eye/face protection.

Eye/face protection: Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: This recommendation is valid only for our Product as delivered. If

this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email:

vertrieb@kcl.de). Material: 730 Camatril Glove thickness: 0,7 mm

Other: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection mask with Filtertype ABEK

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat or drink.

Environmental exposure

controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

SDS_GB 5/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Physical state: liquid
Form: Paste
Color: Colorless
Odor: Faint

Odor Threshold:No data available.pH:No data available.Freezing point:No data available.Boiling Point:No data available.

Flash Point: 198 °C

Evaporation Rate: No data available. Flammability (solid, gas): No data available. Flammability Limit - Upper (%): No data available. Flammability Limit - Lower (%): No data available. No data available. Vapor pressure: Vapor density (air=1): No data available. Density: ca. 1,04 g/cm3 Relative density: No data available.

Solubility(ies)

Solubility in Water: Insoluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log No data available.

Pow:

Autoignition Temperature: > 450 °C

Decomposition Temperature: No decomposition if stored and applied as directed.

SADT:

Viscosity, dynamic:

Viscosity, kinematic:

Viscosity, kinematic:

> 20,5 mm2/s (40 °C)

Explosive properties:

No data available.

No data available.

9.2 Other information

Minimum ignition temperature: 450 °C

SECTION 10: Stability and reactivity

10.1 Reactivity: Material is stable under normal conditions.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerization does not occur. Avoid contact with: Moisture.

10.4 Conditions to avoid: Keep away from heat, sparks and open flame.

10.5 Incompatible Materials: Moisture. Strong Acids, Strong Bases

10.6 Hazardous Decomposition

Products:

Carbon oxides Oxides of silicon. Generates methanol during cure.

Measurements at temperatures above 150°C in presence of air (oxygen)

have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

SECTION 11: Toxicological information

SDS_GB 6/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

General information: In serious cases absorption of methanol in the body may lead to damage to

the eyesight.

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZA LD 50 (Rat): 4.666 mg/kg

NE-AMINOSILOXANE

COPOLYMER, METHOXY TERMINATED

gamma- LD 50 (Rat): 1.570 mg/kg

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas LD 50 (Rat): 2.000 mg/kg

iloxane

Dibutyltin Dilaurate LD 50 (Rat): 2.071 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZ No data available.

ANE-

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- LD 50 (Rabbit): 4.290 mg/kg

Aminopropyltriethoxysil

ane

Dodecamethylcyclohex LI

asiloxane

LD 50 (Rat): 2.000 mg/kg

Dibutyltin Dilaurate LD 50 (Rat): > 2.000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZA No data available.

NE-AMINOSILOXANE

COPOLYMER, METHOXY TERMINATED

gamma- LC50 (Rat, 6 h):

Aminopropyltriethoxysilan LC

n LC50 (Rat, 6 h):

SDS_GB 7/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

Dibutyltin Dilaurate No data available.

Repeated dose toxicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER. **METHOXY TERMINATED**

gamma-NOAEL (Rat, Oral, 90 d): 200 mg/kg Aminopropyltriethoxysilan LOAEL (Rat, Oral, 90 d): 600 mg/kg

Dodecamethylcyclohexas

iloxane

Dibutyltin Dilaurate

NOAEL (Rat(male and female), Oral): 1.000 mg/kg

NOAEL (Rat(male and female), Oral, 28 d): 0,3 - 0,4 mg/l NOAEL (Rat(males), Oral, 28 d): 1,9 - 2,3 mg/l NOAEL (Rat(female), Oral, 28 d): 1,7 - 2,3 mg/l

Skin Corrosion/Irritation:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ

ANE-

AMINOSILOXANE COPOLYMER. **METHOXY TERMINATED**

gamma-OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 4 h):

Draize (Rabbit, 4 h): Slightly irritating.

Aminopropyltriethoxysil Corrosive

ane

Dodecamethylcyclohex

asiloxane

OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h):

Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.

No skin irritation

Dibutyltin Dilaurate (Rabbit): Severe skin irritation.

Serious Eye Damage/Eye

Irritation:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ

ANE-

AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h):

Aminopropyltriethoxysil Strongly irritating.

ane

Dodecamethylcyclohex

asiloxane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No

eye irritation Not irritating

Dibutyltin Dilaurate OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to

eyes.

Respiratory or Skin

Sensitization:

Product: No data available.

Specified substance(s)

SDS_GB 8/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

CYCLOPENTYLSILAZ

ANE-

AMINOSILOXANE COPOLYMER. **METHOXY TERMINATED**

No data available.

gamma-

Aminopropyltriethoxysil

(Guinea Pig)positive

Dodecamethylcyclohex

asiloxane

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

Dibutyltin Dilaurate Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-

Ames-Test: negative

Aminopropyltriethoxysilan

Chinese Hamster Ovary (CHO): negative Chromosomal aberration: negative

Dodecamethylcyclohexas

iloxane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella Dibutyltin Dilaurate

typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mammalian cytogenicity test (OECD 476): negative

In vivo

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

No data available. gamma-

Aminopropyltriethoxysilan

Dodecamethylcyclohexas

iloxane

OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral Dibutyltin Dilaurate

(Mouse)positive The health hazard evaluation is based on the toxicological

properties of a similar material.

Carcinogenicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

SDS_GB 9/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

gamma- No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas

iloxane

No data available.

Dibutyltin Dilaurate No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER,

METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas No data available.

iloxane

Dibutyltin Dilaurate No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER.

METHOXY

TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas No data available.

iloxane

Dibutyltin Dilaurate No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas No data available.

iloxane

Dibutyltin Dilaurate No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

SDS_GB 10/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

CYCLOPENTYLSILAZAN

E-AMINOSILOXANE COPOLYMER, **METHOXY**

No data available.

TERMINATED

No data available. gamma-

Aminopropyltriethoxysilan

Dodecamethylcyclohexas

iloxane

No data available.

Dibutyltin Dilaurate No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY**

TERMINATED

gamma-

Aminopropyltriethoxysilan

Dodecamethylcyclohexas

iloxane

Dibutyltin Dilaurate

No data available.

No data available.

No data available.

No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY**

TERMINATED

gamma-

Aminopropyltriethoxysilan

Dodecamethylcyclohexas

No data available.

iloxane

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test Guideline 202)

LC50 (Brachydanio rerio, 96 h): > 934 mg/l (OECD Test Guideline 203)

EC50 (Daphnia magna, 48 h): 331 mg/l (OECD-Guideline 202)

Fresh water

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA No data available.

SDS_GB 11/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

NE-AMINOSILOXANE

COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas

iloxane

Dibutyltin Dilaurate No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas

iloxane

NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

Dibutyltin Dilaurate No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, METHOXY TERMINATED

gamma- EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1.000 mg/l NOEC (Desmodesmus subspicatus (green algae), 72 h): 1,3 mg/l

0

Dodecamethylcyclohexas

iloxane

EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD

Test Guideline 201)

No data available.

No data available.

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l

(OECD Test Guideline 201)

Dibutyltin Dilaurate EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1 mg/l (OECD

Test Guideline 201) Fresh water

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- (28 d): 67 % Not readily degradable. hydrolyses

Aminopropyltriethoxysilan

е

SDS_GB 12/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Dodecamethylcyclohexas

iloxane

No data available.

Dibutyltin Dilaurate

Biological degradability (39 d): 23 % The product is not readily

biodegradable.

BOD/COD Ratio

Product No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma-

No data available.

Aminopropyltriethoxysilan

е

Dodecamethylcyclohexas

No data available.

iloxane

Dibutyltin Dilaurate No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma-

Cyprinus carpio, Bioconcentration Factor (BCF): 3,4 (Measured) The

product is not bioaccumulating.

е

Dodecamethylcyclohexas

Aminopropyltriethoxysilan

iloxane

No data available.

No data available.

No data available.

Dibutyltin Dilaurate The product is not bioaccumulating.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

CYCLOPENTYLSILAZANE

-AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

gamma- No data available.

Aminopropyltriethoxysilane

Dodecamethylcyclohexasilo No data available.

xane

Dibutyltin Dilaurate No data available.

12.5 Results of PBT and vPvB

assessment:

vPvB: very persistent and very bioaccumulative substance.

CYCLOPENTYLSILAZANE-

AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

SDS_GB 13/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

gamma-

Aminopropyltriethoxysilane

Not fulfilling PBT (persistent/bioacc umulative/toxic) criteria, Not fulfilling vPvB (very

persistent/very bioaccummulative

) criteria

Dodecamethylcyclohexasiloxane

vPvB: very persistent and

verv

bioaccumulative substance.

Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for

Substances of very high concern

(SVHC).,However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water,

to land, or to living organisms

Dibutyltin Dilaurate No data available.

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

SDS_GB 14/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

14.6 Special precautions for user: This

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive materials

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,2940%

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Dodecamethylcyclohexasiloxane	540-97-6	0,1 - 1,0%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

The packaging shall be visibly, legibly and indelibly marked as follows: Restricted to professional users.

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

Chemical name CAS-No. Concentration

SDS_GB 15/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

102 0000		
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances: none

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

Australia AICS: y (positive listing) Remarks: None.
Canada DSL Inventory List: q (quantity restricted) Remarks: None.
EU EINECS List: y (positive listing) Remarks: None.
Japan (ENCS) List: y (positive listing) Remarks: None.
China Inventory of Existing y (positive listing) Remarks: None.

Chemical Substances: Korea Existing Chemicals Inv.

Notea Existing Chemicals inv

(KECI):

Canada NDSL Inventory: n (Negative listing) Remarks: None.

Philippines PICCS: y (positive listing) Remarks: None.

US TSCA Inventory: y (positive listing) Remarks: On TSCA Inventory

Q (quantity restricted)

y (positive listing)

US TSCA Inventory: New Zealand Inventory of

Chemicals:

Taiwan Chemical Substance

Inventory: REACH:

y (positive listing) Remarks: None.

If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under

Regulation (EC) No 1907/2006

(REACH). For polymers, this includes the constituent monomers and other

reactants.

Remarks: None.

Remarks: None.

Remarks: None.

SECTION 16: Other information

Revision Information: Not relevant.

SDS_GB 16/17



Last revised date: 26.05.2020 Supersedes Date: 12.08.2018

TSE 399C

Key literature references and No data available. sources for data:

Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure. H372

Very toxic to aquatic life. H400

H410 Very toxic to aquatic life with long lasting effects.

Training information: No data available.

Issue Date: 26.05.2020

Disclaimer:

17/17 SDS_GB