

RTV11

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name: RTV11

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: Not known.

### 1.3 Details of the supplier of the safety data sheet

:  
 , ,

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

#### Supplemental label information

EUH210: Safety data sheet available on request.

Additional Information: No data available.

### 2.3 Other hazards

No data available.

## SECTION 3: Composition/information on ingredients

Chemical nature: Polydimethylsiloxane with filler and coloured pigment.

### 3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Silicic acid, ethyl ester	1 - <5%	11099-06-2	234-324-0	No data available.	No data available.	
Decamethylcylopentasiloxane	0,1 - <1%	541-02-6	208-764-9	01-2119511367-43-0002	No data available.	vPvB
Octamethylcyclotetrasiloxane	0,1 - <1%	556-67-2	209-136-7	01-2119529238-	No data available.	PBT, vPvB

**RTV11**

				36-0001		
Dodecamethyl cyclohexasiloxane	0,1 - <1%	540-97-6	208-762-8	01-2119517435-42-0001	No data available.	vPvB

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# # This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

**Classification**

Chemical name	Classification	Notes
Silicic acid, ethyl ester	Flam. Liq.: 3: H226; STOT SE: 3: H335; Eye Dam.: 2: H319; Acute Tox.: 4: H302;	
Decamethylcyclopentasiloxane	No data available.	
Octamethylcyclotetrasiloxane	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 2: H411;	No data available.
Dodecamethylcyclohexasiloxane	No data available.	

CLP: Regulation No. 1272/2008.

**SECTION 4: First aid measures**

**General:** Move into fresh air and keep at rest. Get medical attention if symptoms occur.

**4.1 Description of first aid measures**

**Inhalation:** Move the exposed person to fresh air at once.

**Eye contact:** Rinse the eye with water immediately. Get medical attention if symptoms occur.

**Skin Contact:** After contact with skin, remove product mechanically. Flush contaminated skin with plenty of water.

**Ingestion:** If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Consult a physician for specific advice.

**4.2 Most important symptoms and effects, both acute and delayed:** No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Hazards:** No data available.

**Treatment:** No data available.

**SECTION 5: Firefighting measures**

**General Fire Hazards:** Use standard firefighting procedures and consider the hazards of other involved materials.

**5.1 Extinguishing media Suitable extinguishing media:**

All standard extinguishing agents are suitable.

**RTV11**

**Unsuitable extinguishing media:**

Do not use water jet.

**5.2 Special hazards arising from the substance or mixture:**

No data available.

**5.3 Advice for firefighters  
Special fire fighting procedures:**

No data available.

**Special protective equipment for fire-fighters:**

Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:**

Use personal protective equipment. Use only in well-ventilated areas.

**6.2 Environmental Precautions:**

Do not allow runoff to sewer, waterway or ground.

**6.3 Methods and material for containment and cleaning up:**

Absorb spillage with suitable absorbent material. Sweep up and shovel into suitable containers for disposal. Clean thoroughly.

**6.4 Reference to other sections:**

See Section 8 of the SDS for Personal Protective Equipment. Collect and dispose of spillage as indicated in section 13 of the SDS.

**SECTION 7: Handling and storage:**

**7.1 Precautions for safe handling:**

Avoid contact with skin and eyes. Wear appropriate personal protective equipment. Use only in well-ventilated areas.

**Storage conditions:**

No data available.

**7.2 Conditions for safe storage, including any incompatibilities:**

Keep container tightly closed in a cool, well-ventilated place.

**Storage Stability:**

No data available.

**7.3 Specific end use(s):**

No data available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control Parameters**

**Occupational Exposure Limits**

Chemical name	Type	Exposure Limit Values	Source
Calcium Carbonate - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
Calcium Carbonate - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
Calcium Carbonate - Inhalable dust.	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
Calcium Carbonate - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)

**Biological Limit Values**

None.

**RTV11**

**8.2 Exposure controls**

**Appropriate Engineering Controls:** Eye wash facilities and emergency shower must be available when handling this product. Use only in well-ventilated areas.

**Individual protection measures, such as personal protective equipment**

**General information:** No data available.

**Eye/face protection:** Safety glasses with side-shields conforming to EN166

**Skin protection**

**Hand Protection:** Advice: There is no risk to health due to contact with the chemical. Use hand protection to prevent mechanically injuries.

**Other:** Wear suitable protective clothing.

**Respiratory Protection:** Use only in well-ventilated areas. In case of inadequate ventilation use suitable respirator.

**Hygiene measures:** Observe good industrial hygiene practices. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

**Environmental exposure controls:** No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

<b>Physical state:</b>	liquid
<b>Form:</b>	liquid
<b>Color:</b>	White
<b>Odor:</b>	Faint
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Freezing point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flash Point:</b>	ca. 298 °C (Open Cup)
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Flammability Limit - Upper (%):</b>	No data available.
<b>Flammability Limit - Lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density (air=1):</b>	No data available.
<b>Density:</b>	1,18 g/cm <sup>3</sup> (23 °C)
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	No data available.
<b>Solubility (other):</b>	Soluble in toluene xylene
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Autoignition Temperature:</b>	No data available.

	<b>RTV11</b>
<b>Decomposition Temperature:</b>	No decomposition if stored and applied as directed.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	11.000 mPa·s (23 °C)
<b>Viscosity, kinematic:</b>	No data available.
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.

**9.2 Other information**

<b>Minimum ignition temperature:</b>	450 °C
--------------------------------------	--------

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity:</b>	No data available.
<b>10.2 Chemical Stability:</b>	Material is stable under normal conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous polymerization will not occur.
<b>10.4 Conditions to avoid:</b>	No data available.
<b>10.5 Incompatible Materials:</b>	No data available.
<b>10.6 Hazardous Decomposition Products:</b>	Oxides of silicon. Carbon oxides Tin fumes. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

**SECTION 11: Toxicological information**

**General information:** Experience has shown, that the above mentioned product can be used without any danger to health, as long as the usual conditions of industrial hygiene are observed.

**Information on likely routes of exposure**

<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**11.1 Information on toxicological effects**

**Acute toxicity**

**Oral**

<b>Product:</b>	ATEmix: 21.777 mg/kg
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	No data available.
Octamethylcyclotetrasiloxane	LD 50 (Rat): 4.800 mg/kg
Dodecamethylcyclohexasiloxane	LD 50 (Rat): 2.000 mg/kg

**Dermal**

**RTV11**

<b>Product:</b>	Not classified for acute toxicity based on available data.
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	LD 50 (Rabbit): > 2.000 mg/kg
Octamethylcyclotetrasiloxane	LD 50 (Rat): > 2.400 mg/kg
Dodecamethylcyclohexasiloxane	LD 50 (Rat): 2.000 mg/kg
<b>Inhalation</b>	
<b>Product:</b>	LC50 (Rat, male and female, 4 h): 36 mg/l (OECD Test Guideline 403) LC50 (Rat, 4 h): > 12,1 mg/l Not classified for acute toxicity based on available data.
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	LC50 (Rat, 4 h): 8,67 mg/l
Octamethylcyclotetrasiloxane	LC50 (Rat, 4 h): 36 mg/l
Dodecamethylcyclohexasiloxane	No data available.
<b>Repeated dose toxicity</b>	
<b>Product:</b>	NOAEL (Rat(male and female), Inhalation(vapour) ): 150 mg/kg (OECD 453) NOAEL (Rabbit(male and female), Dermal): 1 mg/kg (OECD 410)
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
Octamethylcyclotetrasiloxane	NOAEL (Rat(male and female), Inhalation - vapor(vapour) ): 150 mg/kg NOAEL (Rabbit(male and female), Dermal): 950 mg/kg LOAEL (Rabbit(male and female), Dermal): 950 mg/kg
Dodecamethylcyclohexasiloxane	NOAEL (Rat(male and female), Oral): 1.000 mg/kg
<b>Skin Corrosion/Irritation:</b>	
<b>Product:</b>	(Rabbit, 72 h): No skin irritation
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
Octamethylcyclotetrasiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rat): No skin irritation
Dodecamethylcyclohexasiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation
<b>Serious Eye Damage/Eye Irritation:</b>	
<b>Product:</b>	(Rabbit, 72 h): Non irritating
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
Octamethylcyclotetrasiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Not irritating

**RTV11**

Dodecamethylcyclohexasiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating
<b>Respiratory or Skin Sensitization:</b>	Not a skin sensitizer.
<b>Product:</b>	, OECD-Guideline 406 (Skin Sensitisation)negative
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing.
Octamethylcyclotetrasiloxane	, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig)Not sensitizing
Dodecamethylcyclohexasiloxane	Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative
<b>Germ Cell Mutagenicity</b>	
<b>In vitro</b>	
<b>Product:</b>	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic) Chromosomal aberration (OECD 473): negative (not mutagenic)
Octamethylcyclotetrasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)
Dodecamethylcyclohexasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative
<b>In vivo</b>	
<b>Product:</b>	Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)): negative
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.
Octamethylcyclotetrasiloxane	Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative
Dodecamethylcyclohexasiloxane	OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative
<b>Carcinogenicity</b>	
<b>Product:</b>	No data available.
<b>Specified substance(s)</b>	
Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.

**RTV11**

**Reproductive toxicity**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester No data available.  
 Decamethylcyclopentasiloxane No data available.  
 Octamethylcyclotetrasiloxane No data available.  
 Dodecamethylcyclohexasiloxane No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester No data available.  
 Decamethylcyclopentasiloxane No data available.  
 Octamethylcyclotetrasiloxane No data available.  
 Dodecamethylcyclohexasiloxane No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester No data available.  
 Decamethylcyclopentasiloxane No data available.  
 Octamethylcyclotetrasiloxane No data available.  
 Dodecamethylcyclohexasiloxane No data available.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester No data available.  
 Decamethylcyclopentasiloxane No data available.  
 Octamethylcyclotetrasiloxane No data available.  
 Dodecamethylcyclohexasiloxane No data available.

**Other effects:**

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day, 14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that

**RTV11**

metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Acute toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)
Octamethylcyclotetrasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.

**Aquatic Invertebrates**

**Product:** EC50 (Daphnia magna, 48 h): > 0,015 mg/l

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)
Octamethylcyclotetrasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.

**Chronic Toxicity**

**Fish**

**Product:** LC50 (Oncorhynchus mykiss, 14 d): 0,01 mg/l

**RTV11**

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	NOEC (Oncorhynchus mykiss, 90 d): $\geq 0,0014$ mg/l (OECD-Guideline 210) LOEC (Oncorhynchus mykiss, 90 d): $> 0,0014$ mg/l (OECD-Guideline 210)
Octamethylcyclotetrasiloxane	No data available.
Dodecamethylcyclohexasiloxane	NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

**Aquatic Invertebrates**

**Product:** EC50 (Daphnia magna, 21 d):  $> 0,015$  mg/l

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	NOEC (Daphnia magna, 21 d): $\geq 0,0015$ mg/l (OECD-Guideline 211) LOEC (Daphnia magna, 21 d): $> 0,0015$ mg/l
Octamethylcyclotetrasiloxane	No data available.
Dodecamethylcyclohexasiloxane	NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): $> 420$ mg/l LOEC (Sediment Invertebrate, 28 d): $\geq 420$ mg/l

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): $> 0,0012$ mg/l (OECD Test Guideline 201) NOEC : $\geq 0,0012$ mg/l EC10 : $> 0,0012$ mg/l
Octamethylcyclotetrasiloxane	No data available.
Dodecamethylcyclohexasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): $> 0,002$ mg/l (OECD Test Guideline 201) NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): $\geq 0,002$ mg/l (OECD Test Guideline 201)

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:** activated sludge (adaptation not specified) (29 d, OECD Test Guideline 310): 3,7 % The product is not readily biodegradable.

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable.
Octamethylcyclotetrasiloxane	(29 d, 310 Ready Biodegradability - CO <sub>2</sub> in Sealed Vessels (Headspace Test)): 3,7 % Persistent Not readily biodegradable.
Dodecamethylcyclohexasiloxane	No data available.

**BOD/COD Ratio**

**Product:** No data available.

**Specified substance(s)**

Silicic acid, ethyl ester	No data available.
Decamethylcyclopentasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

**RTV11**

Dodecamethylcyclohexas  
 iloxane No data available.

**12.3 Bioaccumulative potential**

**Product:** Pimephales promelas, Bioconcentration Factor (BCF): 12,40 May accumulate in soil and water systems.

**Specified substance(s)**

Silicic acid, ethyl ester No data available.  
 Decamethylcyclopentasil  
 oxane Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test  
 Guideline 305)  
 Octamethylcyclotetrasilox  
 ane Fathead Minnow, Bioconcentration Factor (BCF): 12,40  
 Dodecamethylcyclohexas  
 iloxane No data available.

**12.4 Mobility in soil:**

No data available.

**Known or predicted distribution to environmental compartments**

Silicic acid, ethyl ester No data available.  
 Decamethylcyclopentasilox  
 ane No data available.  
 Octamethylcyclotetrasiloxa  
 ne No data available.  
 Dodecamethylcyclohexasilox  
 ane No data available.

**12.5 Results of PBT and vPvB assessment:**

Silicic acid, ethyl ester Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

Decamethylcyclopentasiloxane No data available.  
 vPvB: very persistent and very bioaccumulative substance.

Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., *However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.*

Octamethylcyclotetrasiloxane Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)  
 Octamethylcyclotetrasiloxane (D4) meets the current EU REACH Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., *However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.*

**RTV11**

Dodecamethylcyclohexasiloxane	vPvB: very persistent and very bioaccumulative substance.	Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i>
-------------------------------	---	---

**12.6 Other adverse effects:** No data available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**General information:** The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

**SECTION 14: Transport information**

**ADR**  
 Not regulated.

**ADN**  
 Not regulated.

**RID**  
 Not regulated.

**IMDG**  
 Not regulated.

**IATA**  
 Not regulated.

**14.6 Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Keep away from foodstuffs and animal feed.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:**

Not applicable

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**EU Regulations**

**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:** none

**Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer:** none

**Regulation (EC) No. 850/2004 on persistent organic pollutants:** none

**Regulation (EC) No. 850/2004 on persistent organic pollutants:** none

**Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:** none

**Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:** none

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:** none

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:** none

**EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):**

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,1530%
Octamethylcyclotetrasiloxane	556-67-2	0 - <=0,1250%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1000%

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:** none

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:** none

**Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:** none

**Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:** none

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:** none

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:** none

**Directive 96/82/EC (Seveso III): on the control of major accident hazards involving dangerous substances:**

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%

**Directive 96/82/EC (Seveso III): on the control of major accident hazards involving dangerous substances:**

Chemical name	CAS-No.	Concentration
---------------	---------	---------------

**RTV11**

Tetraethyl Silicate	78-10-4	0,1 - 1,0%
---------------------	---------	------------

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:**  
 none

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%
Octamethylcyclotetrasiloxane	556-67-2	0,1 - 1,0%

**15.2 Chemical safety assessment:**

No Chemical Safety Assessment has been carried out.

**Inventory Status**

Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

**SECTION 16: Other information**

**Revision Information:** Not relevant.

**RTV11**

**Key literature references and sources for data:** No data available.

**Wording of the H-statements in section 2 and 3**

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.

**Training information:** No data available.

**Issue Date:** 12.08.2018

**Disclaimer:**