

Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RTV 106Q

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: For industrial use only.

1.3 Details of the supplier of the safety data sheet

, ,

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

2.2 Label Elements Not applicable

Supplemental label information

EUH210: Safety data sheet available on request.

Additional Information: No data available.

**2.3 Other hazards** No data available.

# **SECTION 3: Composition/information on ingredients**

**Chemical nature:** Mixture of polydimethylsiloxanes, fillers and cross-linkers.

## 3.2 Mixtures

**General information:** No data available.

Chemical name	Concentration	CAS-No.		REACH Registration No.	M-Factor:	Notes
Octamethylcyc lotetrasiloxane	1 - <2,5%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	No data available.	PBT, vPvB

SDS\_GB 1/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-0002	No data available.	vPvB
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-0001	No data available.	vPvB

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Classification	Notes
Octamethylcyclotetrasiloxa	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 2:	No data
ne	H411;	available.
Decamethylcyclopentasilo	No data available.	
xane		
Dodecamethylcyclohexasil	No data available.	
oxane		

CLP: Regulation No. 1272/2008.

# **SECTION 4: First aid measures**

**General:** No action shall be taken involving any personal risk or without suitable

training.

4.1 Description of first aid measures

**Inhalation:** Move to fresh air. Get medical attention if any discomfort continues.

**Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

**Ingestion:** Drink plenty of water. Do NOT induce vomiting. Get medical attention.

4.2 Most important symptoms and effects, both acute and

delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

**Hazards:** No data available.

**Treatment:** Treatment is symptomatic and supportive.

# **SECTION 5: Firefighting measures**

General Fire Hazards: Collect contaminated fire extinguishing water separately. This must not be

discharged into drains.

5.1 Extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

SDS\_GB 2/14

<sup>##</sup> This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

#### **RTV 106Q**

Unsuitable extinguishing media:

Do not use water jet.

5.2 Special hazards arising from the substance or mixture:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Pay attention to the corrosive effects arising from contact with water. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

5.3 Advice for firefighters
Special fire fighting

Special fire fighting procedures:

Use water spray to keep fire-exposed containers cool.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Reacts with water liberating small amounts of acetic acid. Use personal protective equipment.

**6.2 Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

6.3 Methods and material for containment and cleaning up:

Shovel up and place in a container for salvage or disposal.

6.4 Reference to other

sections:

No data available.

# **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes, skin, and clothing. Acetic acid is formed during processing. Wear

appropriate personal protective equipment.

**Storage conditions:** No data available.

7.2 Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place.

Storage Stability: Stable

**7.3 Specific end use(s):** No data available.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control Parameters

**Occupational Exposure Limits** 

ccupational Exposure Ellinis					
Chemical name	Туре	Exposure Limit Values	Source		
Red iron oxide - Fume as Fe	STEL	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)		
Red iron oxide - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)		
Red iron oxide - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)		
Red iron oxide - Fume as Fe	TWA	5 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)		

SDS GB 3/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

**Biological Limit Values** 

None.

8.2 Exposure controls

**Appropriate Engineering** 

Provide adequate general and local exhaust ventilation. Eye washes and

**Controls:** showers for emergency use.

Individual protection measures, such as personal protective equipment

**General information:** No data available.

**Eye/face protection:** Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: There is no risk to health due to contact with the chemical. Use

hand protection to prevent mechanically injuries.

Other: Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:** When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators. Respiratory protection mask with

Filtertype ABEK

Hygiene measures: Avoid contact with eyes, skin, and clothing. Good personal hygiene is

necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

**Environmental exposure** 

controls:

No data available.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state:solidForm:PasteColor:Red

Odor: Acetic acid.

Odor Threshold:

pH:

Not applicable

Melting Point:

No data available.

No data available.

No data available.

Plash Point:

> 93,3 °C (estimated)

Evaporation Rate: < 1

Flammability (solid, gas):

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

Vapor density (air=1):

Density:

No data available.

No data available.

Not applicable

Not applicable

1,06 g/cm3 (23 °C)

Relative density: ca. 1,06

Solubility(ies)

Solubility in Water: Insoluble Solubility (other): Toluene

SDS\_GB 4/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

Partition coefficient (n-octanol/water) Log

Pow:

No data available.

Autoignition Temperature:

Decomposition Temperature:

No data available.

No data available.

No data available.

Viscosity, dynamic:
No data available.
No data available.
Viscosity, kinematic:
No data available.
No data available.
Oxidizing properties:
No data available.

9.2 Other information

VOC Content: 26 g/l

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** No data available.

**10.2 Chemical Stability:** Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

**10.4 Conditions to avoid:** Reacts with water liberating small amounts of acetic acid.

**10.5 Incompatible Materials:** Strong Acids, Strong Bases Water.

10.6 Hazardous Decomposition

**Products:** 

Measurements at temperatures above 150°C in presence of air (oxygen)

have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

# **SECTION 11: Toxicological information**

**General information:** Experience has shown, that the above mentioned product can be used

without any danger to health, as long as the usual conditions of industrial

hygiene are observed.

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

## 11.1 Information on toxicological effects

## **Acute toxicity**

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasilox LD 50 (Rat): > 4.800 mg/kg

ane

Decamethylcyclopentasil No data available.

oxane

SDS\_GB 5/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

**RTV 106Q** 

Dodecamethylcyclohexas

iloxane

LD 50 (Rat): 2.000 mg/kg

Dermal

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasil

oxane

Decamethylcyclopenta

siloxane

LD 50 (Rabbit): > 2.000 mg/kg

LD 50 (Rat): > 2.375 mg/kg

Dodecamethylcyclohex

asiloxane

LD 50 (Rat): 2.000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasilox

ane

Decamethylcyclopentasil

oxane Dodecamethylcyclohexas

iloxane

LC50 (Rat, 4 h): 8,67 mg/l

LC50 (Rat, 4 h): 36 mg/l

No data available.

Repeated dose toxicity

**Product:** 

No data available.

No data available.

Specified substance(s)

Octamethylcyclotetrasilox

Decamethylcyclopentasil

oxane

NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg

NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

Dodecamethylcyclohexas

iloxane

NOAEL (Rat(male and female), Oral): 1.000 mg/kg

Skin Corrosion/Irritation: Not irritating **Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasil

OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit):

oxane

Decamethylcyclopentas

iloxane Dodecamethylcyclohex

asiloxane

Slightly irritating.

OECD Test Guideline 404 (Rabbit, 72 h): Non irritating

OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h):

No skin irritation

Serious Eye Damage/Eye

Irritation:

Not irritating

Product:

Specified substance(s)

No data available.

Octamethylcyclotetrasil

oxane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non

irritating Not irritating

Decamethylcyclopentas

iloxane

OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

Dodecamethylcyclohex

asiloxane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No

eye irritation Not irritating

Respiratory or Skin Sensitization:

> Product: No data available.

SDS GB 6/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

Specified substance(s)

Octamethylcyclotetrasil

oxane

Decamethylcyclopentas

iloxane

Dodecamethylcyclohex

asiloxane

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): Not sensitizing

LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA)

(Mouse): Non sensitizing.

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

## **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

tasil

Decamethylcyclopentasil oxane

Dodecamethylcyclohexas iloxane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic) Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline

476)): negative (not mutagenic)

Chromosomal aberration (OECD 473): negative (not mutagenic) Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative

In vivo

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

Decamethylcyclopentasil oxane

Dodecamethylcyclohexas

iloxane

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation

(Rat, male and female)negative (not mutagenic) Vapor.

OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

Carcinogenicity

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

No data available.

Reproductive toxicity

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox

No data available.

ane

Decamethylcyclopentasil

oxane

No data available.

Dodecamethylcyclohexas

iloxane

No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

SDS GB 7/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

#### **RTV 106Q**

Specified substance(s)

Octamethylcyclotetrasilox

ane

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

No data available.

Decamethylcyclopentasil

No data available.

oxane

Dodecamethylcyclohexas

No data available.

iloxane

**Aspiration Hazard** 

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

Decamethylcyclopentasil

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

No data available.

#### Other effects:

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the

SDS GB 8/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

#### **RTV 106Q**

results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Acute toxicity**

Fish

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox No data available.

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas iloxane

No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox No data available.

ane

Decamethylcyclopentasil

oxane

Dodecamethylcyclohexas iloxane

EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210)

LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

No data available.

**Chronic Toxicity** 

Fish

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox No data available.

Decamethylcyclopentasil

LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)

Dodecamethylcyclohexas

iloxane

NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

**Aquatic Invertebrates** 

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox No data available.

NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211) Decamethylcyclopentasil

oxane LOEC (Daphnia magna, 21 d): > 0,0015 mg/l

Dodecamethylcyclohexas NOEC (Daphnia magna, 21 d): 0,0046 mg/l

EC50 (Sediment Invertebrate, 28 d): > 420 mg/l iloxane LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

SDS GB 9/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

**Toxicity to Aquatic Plants** 

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox

No data available.

ane

Decamethylcyclopentasil

oxane

EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD

Test Guideline 201) NOEC : >= 0.0012 mg/l

EC10 : > 0.0012 mg/l

Dodecamethylcyclohexas

iloxane

EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD

Test Guideline 201)

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l

(OECD Test Guideline 201)

# 12.2 Persistence and Degradability

**Biodegradation** 

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox

(29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels (Headspace

Test)): 3,7 % Persistent Not readily biodegradable.

Decamethylcyclopentasil

oxane

activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):

0.14 % The product is not readily biodegradable.

Dodecamethylcyclohexas

iloxane

ane

No data available.

**BOD/COD Ratio** 

Product No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

No data available.

Decamethylcyclopentasil

oxane

No data available.

Dodecamethylcyclohexas

iloxane

No data available.

12.3 Bioaccumulative potential

**Product:** No data available.

Specified substance(s)

Octamethylcyclotetrasilox

ane

Fathead Minnow, Bioconcentration Factor (BCF): 12,40

Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test

Decamethylcyclopentasil

oxane

Guideline 305)

Dodecamethylcyclohexas

iloxane

No data available.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Octamethylcyclotetrasiloxa

ne

No data available.

Decamethylcyclopentasilox

No data available.

Dodecamethylcyclohexasilo

No data available.

xane

12.5 Results of PBT and vPvB

assessment:

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very

Bioaccumulative (vPvB)

SDS GB 10/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

#### **RTV 106Q**

Octamethylcyclotetrasiloxane

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) Octamethylcyclotetrasiloxane (D4) meets the current EU REACh Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

Decamethylcyclopentasiloxane

vPvB: very persistent and very bioaccumulative substance. Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern

(SVHC)., However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

Dodecamethylcyclohexasiloxane

vPvB: very persistent and very bioaccumulative substance. Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for

Substances of very high concern

(SVHC)., However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms

**12.6 Other adverse effects:** No data available.

# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

**General information:** The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

SDS GB 11/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

## **RTV 106Q**

# **SECTION 14: Transport information**

**ADR** 

Not regulated.

**ADN** 

Not regulated.

**RID** 

Not regulated.

**IMDG** 

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of dangerous goods. Keep away from foodstuffs and animal feed. keep away from odour sensitive materials Protect from moisture.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	0 - <=1,3000%
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,2190%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1450%

SDS GB 12/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

#### **RTV 106Q**

# Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding .:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
Acetic acid	64-19-7	0,1 - 1,0%

## EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
Red iron oxide	1309-37-1	1,0 - 10%

## Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	1,0 - 10%
Acetic acid	64-19-7	0,1 - 1,0%

# 15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

**Inventory Status** 

Australia AICS: On or in compliance with the Remarks: None.

inventory

**EINECS, ELINCS or NLP:** On or in compliance with the Remarks: None.

inventory

Japan (ENCS) List: On or in compliance with the Remarks: None.

inventory

China Inv. Existing Chemical On or in compliance with the Remarks: None.

Substances: inventory

Korea Existing Chemicals Inv. On or in compliance with the Remarks: None.

(KECI): inventory

Canada NDSL Inventory: Not in compliance with the Remarks: None.

inventory.

Philippines PICCS: On or in compliance with the Remarks: None. inventory

On or in compliance with the **US TSCA Inventory:** Remarks: None.

inventory

New Zealand Inventory of On or in compliance with the Remarks: None.

Chemicals: inventory

Taiwan Chemical Substance On or in compliance with the Remarks: None.

Inventory: inventory

SDS GB 13/14



Last revised date: 03.09.2020 Supersedes Date: 10.10.2019

**RTV 106Q** 

REACH: If purchased from Momentive

Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other

Remarks: None.

reactants.

Canada DSL Inventory List: Q (quantity restricted)

Remarks: Please contact your supplier for further information on the inventory status of this

material.

# **SECTION 16: Other information**

**Revision Information:** Not relevant.

Key literature references and

No data available.

sources for data:

## Wording of the H-statements in section 2 and 3

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

**Training information:** No data available.

**Issue Date:** 03.09.2020

Disclaimer:

SDS\_GB 14/14